MAY - 5 2004

Section D

510(k) Summary [As required by 21 CFR 807.92]

- I. Submitter:
 - A. Name: Accu-Stat Diagnostics, Inc.
 - B. Address: 11 Orchard Road, Suite # 108, Lake Forest, CA 92630
 - C. Phone and Fax Numbers: Phone 949-916-7560 Fax 949-916-7595
 - D. Contact Person: James G. Barrons
- II. Date of Preparation of this Summary: 9 March 2004
- III. Trade Name: Accu-Stat[™] Home Drug Test for Marijuana (THC), Cocaine (COC), Amphetamine (AMP), Methamphetamine (mAMP), Opiates (OPI), and Phencyclidine (PCP)
- IV. Common Name: At home rapid screening test for Marijuana (THC), Cocaine (COC), Amphetamine (AMP), Methamphetamine (mAMP), Opiates (OPI), and Phencyclidine (PCP) in urine.
- V. Classification Name: Immunoassay for the qualitative detection of drugs of abuse in urine.
- VI. The Marketed Products to Which Equivalence is claimed: The AccuStat™Home Drug Test for Marijuana (THC), Cocaine (COC), Amphetamine
 (AMP), Methamphetamine (mAMP), Opiates (OPI), and Phencyclidine (PCP)
 is substantially equivalent to the First Check® Home Drug Test for
 Marijuana, Cocaine, Methamphetamine, & Opiates (K993852), and the
 Phamatech At Home™ Drug Test for Amphetamine, Methamphetamine
 (Ecstasy), Marijuana, Cocaine, and Opiates (K003858), and other
 commercially available drug screening tests that qualitatively measure the
 presence of target drugs or metabolites by visual color one-step immunoassay
 technology.
- VII. Statement of Intended Use Compared to Other Products: The intended use of the Accu-Stat™ Home Drug Tests for Marijuana, Cocaine, Amphetamine, Opiates, Methamphetamine, and Phencyclidine is substantially equivalent to the above listed products and is a single unit screening test for the detection of from two to six of the listed drugs in human urine. The designated cut-off concentrations for these drugs are as follows: Marijuana at 50 ng/ml, Cocaine

at 300 ng/ml, Amphetamine at 1000 ng/ml, Methamphetamine at 1000 ng/ml, opiates at 2000 ng/ml, and Phencyclidine at 25 ng/ml. These tests are intended for over-the-counter (OTC) consumer use as the first step in a two-step process that includes confirmatory testing of preliminary positive results. Information, along with the materials for shipping a portion of the urine specimen to the laboratory is provided.

Discussion of Technological Characteristics: The Accu-Stat™ Home Drug VIII. Test for Marijuana, Cocaine, Amphetamine, Methamphetamine, Opiates, and Phencyclidine, like other commercially available drug screening tests, qualitatively measures the presence or absence of THC, COC, AMP, mAMP, OPI, PCP and their metabolites in urine, using a one step, rapid chromatographic immunoassay which operates under the principle of competitive binding. Drugs, which may be present in the urine specimen, compete against the drug conjugate for binding sites on the antibody. During testing, a urine specimen migrates upward by capillary action. Marijuana, if present in the urine specimen below 50 ng/ml, and the other drugs being tested for, if below the cut-off levels stated above, will not saturate the binding sites of the antibody coated particles in the test device. The antibody coated particles will then be captured by immobilized marijuana, cocaine, or other listed drug conjugate and a visible colored line will show up in the test line region. The colored line will not form in the test line region if the marijuana level is above the 50 ng/ml because it will saturate all the binding sites of antimarijuana antibodies. The same holds true for cocaine and the other drugs if the level is above the cut-off. It will saturate all the binding sites of anticocaine (or other drug) antibodies and therefore the colored line will not form in the test region.

A drug-positive urine specimen will not generate a colored line in the test line region because of drug competition, while a drug-negative urine specimen will generate a line in the test region because of the absence of a drug competition. To serve as a procedural control, a colored line will always appear at the control line region if the test has been performed properly.

Examples of predicate devices include the First Check® Home Drug Tests and the Phamatech At Home Drug Tests using a single or a multi-drug display. The consumer studies using the Accu-Stat™ Home Drug Test for Marijuana, Cocaine, Amphetamine, Methamphetamine Opiates, and Phencyclidine demonstrates that the test exhibits excellent overall performance in the hands of lay users. The data supports the conclusion that the consumer can use the Accu-Stat™ Home Drug Tests to obtain immediate, preliminary information regarding the possible use of THC, COC, AMP, mAMP, OPI, and PCP.

IX. Safety and Effectiveness: Because the Accu-Stat[™] Home Drug Test for Marijuana (THC), Cocaine (COC), Amphetamine (AMP), Methamphetamine,

(mAMP), Opiates (OPI), and Phencyclidine are identical to the ACON Laboratories One Step Multi-Drug Multi-Line Screen Test Device that is legally marketed under K020313 for professional use, and because no special skills, training, education, or licensing is required to transfer a few drops of a urine sample into the test card well, there is no issue regarding the safety or effectiveness of the product to perform its intended function, i.e., to screen urine for the presence or absence of THC, COC, AMP, mAMP, OPI, or PCP and their metabolite(s). Because the labeling of the Accu-Stat™ Home Drug Test for Marijuana (THC), Cocaine (COC), Amphetamine (AMP), Methamphetamine (mAMP), Opiates (OPI), and Phencyclidine (PCP) is substantially equivalent to a variety of rapid screening tests currently in commercial distribution, including the First Check® Home Drug Test, the Advantage Diagnostics Home Drug Tests and the Phamatech At Home™ Drug Tests, and there have been no reports of consumer inability to follow instructions or interpret results over the many months these products have been purchased, it should be concluded that the product can be used effectively by the lay user.





Food and Drug Administration 2098 Gaither Road Rockville MD 20850

Mr James G. Barrons President Accu- Stat Diagnostics, Inc. 11 Orchard Road Suite 108 Lake Forest, CA 92630 MAY - 5 2004

Re:

k040629

Trade/Device Name: Accu-Stat[™] Home Drug Test for Marijuana (THC), Cocaine

(COC), Amphetamine (AMP), Methamphetamine (mAMP),

Opiates (OPI), and Phencyclidine (PCP)

Regulation Number: 21 CFR 862.3870 Regulation Name: Cannabinoid test system

Regulatory Class: Class II

Product Code: LDJ, DKZ, MVO, DIO, LAF, DJG, and LCM

Dated: March 9, 2004 Received: March 10, 2004

Dear Mr. Barrons:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in Title 21, Code of Federal Regulations (CFR), Parts 800 to 895. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Parts 801 and 809); and good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820).

Page 2

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific information about the application of labeling requirements to your device, or questions on the promotion and advertising of your device, please contact the Office of *In Vitro* Diagnostic Device Evaluation and Safety at (301) 594-3084. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address http://www.fda.gov/cdrh/dsma/dsmamain.html.

Sincerely yours,

Jean M. Cooper, MS, D.V.M.

Director

Division of Chemistry and Toxicology

Office of In Vitro Diagnostic Device

Evaluation and Safety

Center for Devices and

Radiological Health

Enclosure

Indications for Use

510(k) Number (if known):_ <u>K040629</u>
Device Name: Accu-Stat™ Home Drug Test for Marijuana (THC), Cocaine (COC), Amphetamine (AMP), Methamphetamine (mAMP), Opiates (OPI), and Phencyclidine (PCP)
Indications For Use:
The Accu-Stat TM Home Drug Test for Marijuana (THC), Cocaine (COC), Amphetamine (AMP), Methamphetamine (mAMP), Opiates (OPI), and Phencyclidine (PCP) is a single-unit screening test for the rapid detection of two to six of the above drugs in human urine. The designated cut-off concentrations for these drugs are as follows: Marijuana at 50 ng/ml, Cocaine at 300 ng/ml, Amphetamine at 1000 ng/ml, Methamphetamine at 1000 ng/ml, Opiates at 2000 ng/ml, and Phencyclidine at 25 ng/ml. The tests are intended for over-the-counter (OTC) consumer use as the first step in a two step process that includes confirmatory testing of preliminary positive results. Information, along with the materials for shipping a portion of the urine specimen to the laboratory is provided.
Prescription Use AND/OR Over-The-Counter UseX (Part 21 CFR 801 Subpart D) (21 CFR 807 Subpart C)
(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)
Concurrence of CDRH, Office of In Vitro Diagnostic Devices (OIVD) Division Sign-Off Office of In Vitro Diagnostic Device Page 1 of 1 Evaluation and Safety 510(k) KOHO (SA)